

**n** **Vf**  
PAGE 228

**DIN 6537K**

**3XD**

353TA - 353HTA - 353SUH - 353ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



353TA

353HTA  
353SUH  
353ALH

TA

MG

**PV200**

HTA

MG

**PV200**

SUH

MG

**PV300**

ALH

MG

**LAPPED**

D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 3.00	6	14	20	62	●	●	●	●
3.10	6	14	20	62	●	●	●	○
3.20	6	14	20	62	●	●	●	○
3.30	6	14	20	62	●	●	●	●
3.40	6	14	20	62	●	●	●	●
3.50	6	14	20	62	●	●	●	●
3.60	6	14	20	62	●	●	●	○
3.70	6	14	20	62	●	●	●	○
3.80	6	17	24	66	●	●	●	●
3.90	6	17	24	66	●	●	●	○
4.00	6	17	24	66	●	●	●	●
4.10	6	17	24	66	●	●	●	○
4.20	6	17	24	66	●	●	●	●
4.30	6	17	24	66	●	●	●	●
4.40	6	17	24	66	●	●	●	○
4.50	6	17	24	66	●	●	●	●
4.60	6	17	24	66	●	●	●	○
4.70	6	17	24	66	●	●	●	○
4.80	6	20	28	66	●	●	●	●
4.90	6	20	28	66	●	●	●	○
5.00	6	20	28	66	●	●	●	●
5.10	6	20	28	66	●	●	●	●
5.20	6	20	28	66	●	●	●	●
5.30	6	20	28	66	●	●	●	○
5.40	6	20	28	66	●	●	●	○
5.50	6	20	28	66	●	●	●	●
5.60	6	20	28	66	●	●	●	○
5.70	6	20	28	66	●	●	●	○
5.80	6	20	28	66	●	●	●	●
5.90	6	20	28	66	●	●	●	○
6.00	6	20	28	66	●	●	●	●
6.10	8	24	34	79	●	●	●	○
6.20	8	24	34	79	●	●	●	●
6.30	8	24	34	79	●	●	●	○
6.40	8	24	34	79	●	●	●	○
6.50	8	24	34	79	●	●	●	●

● stock standard ○ non-standard stock EX stock exhaustion



DIN 6537K

3XD

353TA - 353HTA - 353SUH - 353ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



TA

MG

**PV200**

HTA

MG

**PV200**

SUH

MG

**PV300**

ALH

MG

**LAPPED**

D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 6.60	8	24	34	79	●	●	●	○
6.70	8	24	34	79	●	●	●	○
6.80	8	24	34	79	●	●	●	●
6.90	8	24	34	79	●	●	●	○
7.00	8	24	34	79	●	●	●	●
7.10	8	29	41	79	●	●	●	○
7.20	8	29	41	79	●	●	●	○
7.30	8	29	41	79	●	●	●	○
7.40	8	29	41	79	●	●	●	○
7.50	8	29	41	79	●	●	●	●
7.60	8	29	41	79	●	●	●	○
7.70	8	29	41	79	●	●	●	○
7.80	8	29	41	79	●	●	●	●
7.90	8	29	41	79	●	●	●	○
8.00	8	29	41	79	●	●	●	●
8.10	10	35	47	89	●	●	●	○
8.20	10	35	47	89	●	●	●	●
8.30	10	35	47	89	●	●	●	○
8.40	10	35	47	89	●	●	●	○
8.50	10	35	47	89	●	●	●	●
8.60	10	35	47	89	●	●	●	○
8.70	10	35	47	89	●	●	●	○
8.80	10	35	47	89	●	●	●	●
8.90	10	35	47	89	●	●	●	○
9.00	10	35	47	89	●	●	●	●
9.10	10	35	47	89	●	●	●	○
9.20	10	35	47	89	●	●	●	○
9.30	10	35	47	89	●	●	●	○
9.40	10	35	47	89	●	●	●	○
9.50	10	35	47	89	●	●	●	●
9.60	10	35	47	89	●	●	●	○
9.70	10	35	47	89	●	●	●	○
9.80	10	35	47	89	●	●	●	○
9.90	10	35	47	89	●	●	●	○
10.00	10	35	47	89	●	●	●	●
10.10	12	40	55	102	●	●		

● stock standard ○ non-standard stock EX stock exhaustion

PAGE 228

**DIN 6537K**

**3XD**

353TA - 353HTA - 353SUH - 353ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



353TA   353HTA 353SUH 353ALH 				
	MG <b>PV200</b>	MG <b>PV200</b>	MG <b>PV300</b>	MG <b>LAPPED</b>

D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 10.20	12	40	55	102	●	●	●	●
10.30	12	40	55	102	●	●	●	
10.40	12	40	55	102	○	○		
10.50	12	40	55	102	●	●	●	●
10.60	12	40	55	102	●	●	●	
10.70	12	40	55	102	○	○		
10.80	12	40	55	102	●	●	●	○
10.90	12	40	55	102	○	○		
11.00	12	40	55	102	●	●	●	●
11.10	12	40	55	102	○	○		
11.20	12	40	55	102	●	●	○	○
11.30	12	40	55	102	●	●	○	○
11.40	12	40	55	102	○	○		
11.50	12	40	55	102	●	●	●	●
11.60	12	40	55	102	○	○		
11.70	12	40	55	102	○	○		
11.80	12	40	55	102	●	●	●	○
11.90	12	40	55	102	○	○		
12.00	12	40	55	102	●	●	●	●
12.20	14	40	60	107	○	●	●	○
12.50	14	43	60	107	●	●	●	○
12.60	14	43	60	107				
12.80	14	43	60	107	○	●	●	○
13.00	14	43	60	107	●	●	●	○
13.30	14	43	60	107	○	●	●	○
13.50	14	43	60	107	●	●	●	○
13.80	14	43	60	107	○	●	●	○
14.00	14	43	60	107	●	●	●	○
14.20	16	45	65	115			●	
14.50	16	45	65	115	●	●	●	○
14.60	16	45	65	115				
15.00	16	65	65	115	●	●	●	○
15.30	16	65	65	115	○	●	●	○
15.50	16	65	65	115	●	●	●	○
15.80	16	65	73	115	○	●	●	○
16.00	16	65	73	115	●	●	●	○

● stock standard ○ non-standard stock EX stock exhaustion

**n** **Vf**  
PAGE 228

**DIN 6537K**

**3XD**

353TA - 353HTA - 353SUH - 353ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



<p>353TA</p> <p>353HTA 353SUH 353ALH</p>					
	<b>MG</b> <b>PV200</b>	<b>MG</b> <b>PV200</b>	<b>MG</b> <b>PV300</b>	<b>MG</b> <b>LAPPED</b>	
<b>D(m7)</b>	<b>d(h6)</b>	<b>l1</b>	<b>l2</b>	<b>L</b>	<b>Stock</b>
<b>mm 16.50</b>	18	73	73	123	○
<b>17.00</b>	18	73	73	123	○
<b>17.50</b>	18	73	73	123	○
<b>18.00</b>	18	73	73	123	○
<b>18.50</b>	20	79	79	131	○
<b>19.00</b>	20	79	79	131	○
<b>19.50</b>	20	79	79	131	○
<b>20.00</b>	20	79	79	131	○

● stock standard ○ non-standard stock EX stock exhaustion