

**n** **Vf**  
PAGE 228

**DIN 6537L**

**5XD**

**355TA - 355HTA - 355SUH - 355ALH (m7)**

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



355TA

355HTA  
355SUH  
355ALH

TA

MG

**PV200**

HTA

MG

**PV200**

SUH

MG

**PV300**

ALH

MG

**LAPPED**

D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 3.00	6	23	28	66	●	●	●	●
3.10	6	23	28	66	●	●	●	○
3.20	6	23	28	66	●	●	●	○
3.30	6	23	28	66	●	●	●	●
3.40	6	23	28	66	●	●	●	●
3.50	6	23	28	66	●	●	●	●
3.60	6	23	28	66	●	●	●	○
3.70	6	23	28	66	●	●	●	○
3.80	6	29	36	74	●	●	●	●
3.90	6	29	36	74	●	●	●	○
4.00	6	29	36	74	●	●	●	●
4.10	6	29	36	74	●	●	●	○
4.20	6	29	36	74	●	●	●	●
4.30	6	29	36	74	●	●	●	●
4.40	6	29	36	74	●	●	●	○
4.50	6	29	36	74	●	●	●	●
4.60	6	29	36	74	●	●	●	○
4.70	6	29	36	74	●	●	●	○
4.80	6	35	44	82	●	●	●	●
4.90	6	35	44	82	●	●	●	○
5.00	6	35	44	82	●	●	●	●
5.10	6	35	44	82	●	●	●	●
5.20	6	35	44	82	●	●	●	●
5.30	6	35	44	82	●	●	●	○
5.40	6	35	44	82	●	●	●	○
5.50	6	35	44	82	●	●	●	●
5.60	6	35	44	82	●	●	●	○
5.70	6	35	44	82	●	●	●	○
5.80	6	35	44	82	●	●	●	●
5.90	6	35	44	82	●	●	●	○
6.00	6	35	44	82	●	●	●	●
6.10	8	43	53	91	●	●	●	○
6.20	8	43	53	91	●	●	●	●
6.30	8	43	53	91	●	●	●	○
6.40	8	43	53	91	●	●	●	○
6.50	8	43	53	91	●	●	●	●

● stock standard ○ non-standard stock EX stock exhaustion



DIN 6537L

5XD

355TA - 355HTA - 355SUH - 355ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



355TA

355HTA  
355SUH  
355ALH

TA

MG

**PV200**

HTA

MG

**PV200**

SUH

MG

**PV300**

ALH

MG

**LAPPED**

D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 6.60	8	43	53	91	●	●	●	○
6.70	8	43	53	91	●	●	●	○
6.80	8	43	53	91	●	●	●	●
6.90	8	43	53	91	●	●	●	○
7.00	8	43	53	91	●	●	●	●
7.10	8	43	53	91	●	●	●	○
7.20	8	43	53	91	●	●	●	○
7.30	8	43	53	91	●	●	●	○
7.40	8	43	53	91	●	●	●	○
7.50	8	43	53	91	●	●	●	●
7.60	8	43	53	91	●	●	●	○
7.70	8	43	53	91	●	●	●	○
7.80	8	43	53	91	●	●	●	●
7.90	8	43	53	91	●	●	●	○
8.00	8	43	53	91	●	●	●	●
8.10	10	49	61	103	●	●	●	○
8.20	10	49	61	103	●	●	●	●
8.30	10	49	61	103	●	●	●	○
8.40	10	49	61	103	●	●	●	○
8.50	10	49	61	103	●	●	●	●
8.60	10	49	61	103	●	●	●	○
8.70	10	49	61	103	●	●	●	○
8.80	10	49	61	103	●	●	●	●
8.90	10	49	61	103	●	●	●	○
9.00	10	49	61	103	●	●	●	●
9.10	10	49	61	103	●	●	●	○
9.20	10	49	61	103	●	●	●	○
9.30	10	49	61	103	●	●	●	○
9.40	10	49	61	103	●	●	●	○
9.50	10	61	61	103	●	●	●	●
9.60	10	61	61	103	●	●	●	○
9.70	10	61	61	103	●	●	●	○
9.80	10	61	61	103	●	●	●	○
9.90	10	61	61	103	●	●	●	○
10.00	10	61	61	103	●	●	●	●
10.10	12	71	71	118	●	●		

● stock standard ○ non-standard stock EX stock exhaustion

**n** **Vf**  
PAGE 228

**DIN 6537L**

**5XD**

355TA - 355HTA - 355SUH - 355ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



355TA

355HTA  
355SUH  
355ALH

**MG**  
**PV200**

**MG**  
**PV200**

**MG**  
**PV300**

**MG**  
**LAPPED**

D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 10.20	12	71	71	118	●	●	●	●
10.30	12	71	71	118	●	●	●	●
10.40	12	71	71	118	○	○	●	●
10.50	12	71	71	118	●	●	●	●
10.60	12	71	71	118	●	●	●	●
10.70	12	71	71	118	○	○	●	●
10.80	12	71	71	118	●	●	●	○
10.90	12	71	71	118	○	○	●	○
11.00	12	71	71	118	●	●	●	●
11.10	12	71	71	118	○	○	●	○
11.20	12	71	71	118	●	●	●	○
11.30	12	71	71	118	●	●	●	○
11.40	12	71	71	118	○	●	●	○
11.50	12	71	71	118	●	●	●	●
11.60	12	71	71	118	○	○	●	○
11.70	12	71	71	118	○	○	●	○
11.80	12	71	71	118	●	●	●	○
11.90	12	71	71	118	○	○	●	○
12.00	12	71	71	118	●	●	●	●
12.20	14	77	77	124	○	●	●	○
12.50	14	77	77	124	●	●	●	○
12.60	14	77	77	124	○	●	●	○
12.80	14	77	77	124	○	●	●	○
13.00	14	77	77	124	●	●	●	○
13.30	14	77	77	124	○	●	●	○
13.50	14	77	77	124	●	●	●	○
13.80	14	77	77	124	○	●	●	○
14.00	14	77	77	124	●	●	●	○
14.20	16	83	83	133	○	●	●	○
14.50	16	83	83	133	●	●	●	○
14.60	16	83	83	133	○	●	●	○
15.00	16	83	83	133	●	●	●	○
15.30	16	83	83	133	○	●	●	○
15.50	16	83	83	133	●	●	●	○
15.80	16	83	83	133	○	●	●	○
16.00	16	83	83	133	●	●	●	○

● stock standard ○ non-standard stock EX stock exhaustion



DIN 6537L

5XD

355TA - 355HTA - 355SUH - 355ALH (m7)

Ø mm	1~3	3.1~6	6.1~10	10.1~18	18.1~20
tol. D µ	+12 / +2	+16 / +4	+21 / +6	+25 / +7	+29 / +8



					TA	HTA	SUH	ALH
					MG	MG	MG	MG
<p>355TA</p> <p>355HTA 355SUH 355ALH</p>					PV200	PV200	PV300	LAPPED
					140°	140°	140°	140°
					30°	30°	30°	30°
D(m7)	d(h6)	l1	l2	L	Stock	Stock	Stock	Stock
mm 16.50	18	93	93	143	○	●	●	○
17.00	18	93	93	143	○	●	●	○
17.50	18	93	93	143	○	●	●	○
18.00	18	93	93	143	○	●	●	○
18.50	20	101	101	153	○	●	●	○
19.00	20	101	101	153	○	●	●	○
19.50	20	101	101	153	○	○	●	○
20.00	20	101	101	153	○	●	●	○

● stock standard ○ non-standard stock EX stock exhaustion